

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form	: Substance
Trade name	: NU1170 Ethanol 96% EPR Ph.Eur.
Chemical name	: ethanol; ethyl alcohol
IUPAC name	: ethanol
EC Index-No.	: 603-002-00-5
EC-No.	: 200-578-6
CAS-No.	: 64-17-5
REACH registration No	: 01-2119457610-43
Product code	: ETHA-60P
Formula	: C <sub>2</sub> H <sub>5</sub> OH

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category : Laboratory use

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**

labbox labware s.l.  
Migjorn, 1  
P.O. Box Barcelona (SPAIN)  
08338 Premia de Dalt – SPAIN  
ES  
T +34 937 07 79 70 - F +34 937 909 532  
[info@labbox.com](mailto:info@labbox.com) - [www.labbox.com](http://www.labbox.com)

**1.4. Emergency telephone number**

Emergency number : +34 937 077 970 (For technical information\_Office Hours) In case of medical emergency phone 112 or to your local emergency number.

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Flammable liquids, Category 2 H225

Full text of H and EUH statements: see section 16

**Adverse physicochemical, human health and environmental effects**

No additional information available

# NU1170 Ethanol 96% EPR Ph.Eur.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H225 - Highly flammable liquid and vapour.  
H319 - Causes serious eye irritation.

Precautionary statements (CLP) :

P101 - If medical advice is needed, have product container or label at hand.  
P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking.  
P102 - Keep out of reach of children.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

PBT: not relevant – no registration required

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Substance type : Mono-constituent  
Name : Ethanol  
CAS-No. : 64-17-5  
EC-No. : 200-578-6  
EC Index-No. : 603-002-00-5

Name	Product identifier	%
Ethanol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610-43	

### 3.2. Mixtures

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.  
First-aid measures after skin contact : Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.  
First-aid measures after eye contact : Rinse eyes with water as a precaution. Get medical advice/attention.  
First-aid measures after ingestion : If swallowed, seek medical advice immediately and show this container or label.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

# NU1170 Ethanol 96% EPR Ph.Eur.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : ABC-powder.  
Unsuitable extinguishing media : Strong water jet.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Precautionary measures fire : Evacuate area.  
Firefighting instructions : Exercise caution when fighting any chemical fire.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

Protective equipment : Breathing apparatus.  
Emergency procedures : Stop release. Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material.

### 6.4. Reference to other sections

See Heading 8. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Eliminate all ignition sources if safe to do so. Use only non-sparking tools.  
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a well-ventilated place. Keep container tightly closed.  
Storage area : Store in a well-ventilated place.  
Special rules on packaging : Store in a closed container. Keep only in original container.

### 7.3. Specific end use(s)

Laboratory chemicals.

# NU1170 Ethanol 96% EPR Ph.Eur.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

NU1170 Ethanol 96% EPR Ph.Eur. (64-17-5)	
<b>France - Occupational Exposure Limits</b>	
Local name	Alcool éthylique
VME (OEL TWA)	1900 mg/m <sup>3</sup>
VME (OEL TWA) [ppm]	1000 ppm
VLE (OEL Ceiling/STEL)	9500 mg/m <sup>3</sup>
VLE (OEL Ceiling/STEL) [ppm]	5000 ppm
Remark	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
Local name	Ethanol
AGW (OEL TWA) [1]	960 mg/m <sup>3</sup>
AGW (OEL TWA) [2]	500 ppm
Limitation of exposure peaks	2(II)
Remark	DFG,Y
Regulatory reference	TRGS900
<b>Greece - Occupational Exposure Limits</b>	
Local name	Αιθνόλη
OEL TWA	1900 mg/m <sup>3</sup>
OEL TWA [ppm]	1000 ppm
Regulatory reference	Π.Δ. 90/1999
<b>Latvia - Occupational Exposure Limits</b>	
Local name	Etilspirts (etanols)
OEL TWA	1000 mg/m <sup>3</sup>
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325
<b>Portugal - Occupational Exposure Limits</b>	
Local name	Etanol (Álcool etílico)
OEL STEL [ppm]	1000 ppm
Regulatory reference	Norma Portuguesa NP 1796:2014
<b>Spain - Occupational Exposure Limits</b>	
Local name	Etanol (Alcohol etílico)
VLA-EC (OEL STEL)	1910 mg/m <sup>3</sup>
VLA-EC (OEL STEL) [ppm]	1000 ppm

# NU1170 Ethanol 96% EPR Ph.Eur.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

NU1170 Ethanol 96% EPR Ph.Eur. (64-17-5)	
Remark	s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: <a href="http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas">http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas</a> Base de datos de productos fitosanitarios <a href="http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf">http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf</a> ).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2019. INSHT
United Kingdom - Occupational Exposure Limits	
Local name	Ethanol
WEL TWA [1]	1920 mg/m <sup>3</sup>
WEL TWA [2]	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Ethanol (64-17-5)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	1907 mg/m <sup>3</sup>
IOEL TWA [ppm]	1000 ppm
France - Occupational Exposure Limits	
Local name	Alcool éthylique
VME (OEL TWA)	1900 mg/m <sup>3</sup>
VME (OEL TWA) [ppm]	1000 ppm
VLE (OEL Ceiling/STEL)	9500 mg/m <sup>3</sup>
VLE (OEL Ceiling/STEL) [ppm]	5000 ppm
Remark	Valeurs recommandées/admises
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Ethanol
AGW (OEL TWA) [1]	960 mg/m <sup>3</sup>
AGW (OEL TWA) [2]	500 ppm
Remark	DFG,Y
Portugal - Occupational Exposure Limits	
Local name	Etanol (Álcool etílico)
OEL STEL [ppm]	1000 ppm
Spain - Occupational Exposure Limits	
Local name	Etanol (Alcohol etílico)
VLA-EC (OEL STEL)	1910 mg/m <sup>3</sup>
VLA-EC (OEL STEL) [ppm]	1000 ppm
Remark	s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: <a href="http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas">http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas</a> Base de datos de productos fitosanitarios <a href="http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf">http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf</a> ).

# NU1170 Ethanol 96% EPR Ph.Eur.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethanol (64-17-5)	
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Ethanol
WEL TWA [1]	1920 mg/m <sup>3</sup>
WEL TWA [2]	1000 ppm

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

NU1170 Ethanol 96% EPR Ph.Eur. (64-17-5)	
<b>DNEL/DMEL (Workers)</b>	
Acute - local effects, inhalation	1900 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	950 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Acute - local effects, inhalation	950 mg/m <sup>3</sup>
Long-term - systemic effects, oral	87 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	114 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	0,96 mg/l
PNEC aqua (marine water)	0,79 mg/l
PNEC aqua (intermittent, freshwater)	2,75 mg/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	3,6 mg/kg dwt
PNEC sediment (marine water)	2,9 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	0,63 mg/kg dwt
<b>PNEC (Oral)</b>	
PNEC oral (secondary poisoning)	0,72 g/kg food
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	580 mg/l

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

EN 374. Avoid all unnecessary exposure.

# NU1170 Ethanol 96% EPR Ph.Eur.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

Eye protection			
Type	Field of application	Characteristics	Standard
Safety glasses	Droplet		EN 166

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear safety footwear

Skin and body protection	
Type	Standard
Safety shoes	EN ISO 13287, EN ISO 20345

##### Hand protection:

Wear protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Category III			0.062 mm	6 (> 480 minutes)	EN 420

##### Other skin protection

##### Materials for protective clothing:

Wear protective clothing

Other skin protection Materials for protective clothing		
Condition	Material	Standard
		EN 1149-1, EN 1149-2, EN 1149-3, EN 168, EN ISO 14116, EN 1149-5

#### 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

# NU1170 Ethanol 96% EPR Ph.Eur.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Appearance	: Transparent.
Molecular mass	: 46,1 g/mol
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 78,29001 °C Atm. press.: 1013,25 hPa Decomposition: 'no'
Flammability	: Not available
Lower explosion limit	: 2,5 vol %
Upper explosion limit	: 13,5 vol %
Flash point	: 13 °C Atm. press.: 1 atm
Auto-ignition temperature	: 423 °C
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: 1,42 mm <sup>2</sup> /s
Viscosity, dynamic	: 1,17 mPa·s Temp.: '20°C' Parameter: 'dynamic viscosity (in mPa s)'
Solubility	: Miscible.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water (Log Pow)	: -0,35
Vapour pressure	: 57,26 hPa
Vapour pressure at 50 °C	: 291,0849 hPa
Density	: Not available
Relative density	: ≈ 0,807
Relative vapour density at 20 °C	: 804 – 810
Particle characteristics	: Not applicable

#### 9.2. Other information

##### 9.2.1. Information with regard to physical hazard classes

No additional information available

##### 9.2.2. Other safety characteristics

VOC content : 96 %

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable in use and storage conditions as recommended in item 7.

#### 10.2. Chemical stability

Stable under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Heat. Direct sunlight.

#### 10.5. Incompatible materials

Strong bases. Strong acids.

#### 10.6. Hazardous decomposition products

No additional information available



# NU1170 Ethanol 96% EPR Ph.Eur.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

NU1170 Ethanol 96% EPR Ph.Eur. (64-17-5)	
LD50 oral rat	15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560
LD50 oral	8300 mg/kg bodyweight Animal: mouse

Ethanol (64-17-5)	
LD50 oral rat	15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560
LD50 oral	8300 mg/kg bodyweight Animal: mouse

Skin corrosion/irritation : Not classified

Ethanol (64-17-5)	
pH	7 (789 g/l, 20 °C)

Serious eye damage/irritation : Not classified

Ethanol (64-17-5)	
pH	7 (789 g/l, 20 °C)

Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified

NU1170 Ethanol 96% EPR Ph.Eur. (64-17-5)	
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)

Ethanol (64-17-5)	
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)

Aspiration hazard : Not classified

NU1170 Ethanol 96% EPR Ph.Eur. (64-17-5)	
Viscosity, kinematic	1,42 mm <sup>2</sup> /s

Ethanol (64-17-5)	
Viscosity, kinematic	1,082 mm <sup>2</sup> /s (40 °C)

#### 11.2. Information on other hazards

##### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : Not applicable

# NU1170 Ethanol 96% EPR Ph.Eur.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 11.2.2. Other information

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

NU1170 Ethanol 96% EPR Ph.Eur. (64-17-5)	
LC50 - Fish [1]	14,2 g/l Test organisms (species): Pimephales promelas
NOEC (chronic)	9,6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'
Ethanol (64-17-5)	
LC50 - Fish [1]	14,2 g/l Test organisms (species): Pimephales promelas
NOEC (chronic)	9,6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'

### 12.2. Persistence and degradability

NU1170 Ethanol 96% EPR Ph.Eur. (64-17-5)	
Biodegradation	89 %
Ethanol (64-17-5)	
Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	0,8 – 0,967 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1,7 g O <sub>2</sub> /g substance
ThOD	2,1 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0,43 % ThOD

### 12.3. Bioaccumulative potential

NU1170 Ethanol 96% EPR Ph.Eur. (64-17-5)	
Partition coefficient n-octanol/water (Log Pow)	-0,35
Bioaccumulative potential	Low.
Ethanol (64-17-5)	
BCF - Fish [1]	1
Partition coefficient n-octanol/water (Log Pow)	-0,31
Bioaccumulative potential	No bioaccumulation.

### 12.4. Mobility in soil

NU1170 Ethanol 96% EPR Ph.Eur. (64-17-5)	
Surface tension	2,339 N/m

# NU1170 Ethanol 96% EPR Ph.Eur.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Ethanol (64-17-5)

Surface tension	0,022 N/m
-----------------	-----------

### 12.5. Results of PBT and vPvB assessment

#### NU1170 Ethanol 96% EPR Ph.Eur. (64-17-5)

PBT: not relevant – no registration required

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : Not applicable.

### 12.7. Other adverse effects

Other adverse effects : Do not discharge into drains or rivers.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.  
Waste treatment methods : Must follow special treatment according to local regulation.  
European List of Waste (LoW) code : 14 06 03\* - other solvents and solvent mixtures  
HP Code : HP3 - "Flammable:"  
— flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;  
— flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;  
— flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;  
— flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;  
— water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;  
— other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.  
HP4 - "Irritant — skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR) : UN 1170  
UN-No. (IMDG) : UN 1170  
UN-No. (IATA) : UN 1170  
UN-No. (ADN) : UN 1170  
UN-No. (RID) : UN 1170

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ETHANOL (ETHYL ALCOHOL)  
Proper Shipping Name (IMDG) : ETHANOL (ETHYL ALCOHOL)  
Proper Shipping Name (IATA) : Ethanol  
Proper Shipping Name (ADN) : ETHANOL (ETHYL ALCOHOL)  
Proper Shipping Name (RID) : ETHANOL (ETHYL ALCOHOL)  
Transport document description (ADR) : UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II, (D/E)  
Transport document description (IMDG) : UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II

# NU1170 Ethanol 96% EPR Ph.Eur.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport document description (IATA) : UN 1170 Ethanol, 3, II  
Transport document description (ADN) : UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II  
Transport document description (RID) : UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 3  
Danger labels (ADR) : 3



#### IMDG

Transport hazard class(es) (IMDG) : 3  
Danger labels (IMDG) : 3



#### IATA

Transport hazard class(es) (IATA) : 3  
Danger labels (IATA) : 3



#### ADN

Transport hazard class(es) (ADN) : 3  
Danger labels (ADN) : 3



#### RID

Transport hazard class(es) (RID) : 3  
Danger labels (RID) : 3



### 14.4. Packing group

Packing group (ADR) : II  
Packing group (IMDG) : II  
Packing group (IATA) : II  
Packing group (ADN) : II  
Packing group (RID) : II

### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available


# NU1170 Ethanol 96% EPR Ph.Eur.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 144, 601
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	: 
Tunnel restriction code (ADR)	: D/E
EAC code	: •2YE

#### Transport by sea

Special provisions (IMDG)	: 144
Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19% Miscible with water.

#### Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A58, A180
ERG code (IATA)	: 3L

#### Inland waterway transport

Classification code (ADN)	: F1
Special provisions (ADN)	: 144, 601
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1

#### Rail transport

Classification code (RID)	: F1
Special provisions (RID)	: 144, 601

# NU1170 Ethanol 96% EPR Ph.Eur.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

###### EU restriction list (REACH Annex XVII)

Reference code	Applicable on
3.	NU1170 Ethanol 96% EPR Ph.Eur.
3(a)	NU1170 Ethanol 96% EPR Ph.Eur.
3(b)	NU1170 Ethanol 96% EPR Ph.Eur.
40.	NU1170 Ethanol 96% EPR Ph.Eur.

##### REACH Annex XIV (Authorisation List)

NU1170 Ethanol 96% EPR Ph.Eur. is not on the REACH Annex XIV List

##### REACH Candidate List (SVHC)

NU1170 Ethanol 96% EPR Ph.Eur. is not on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

NU1170 Ethanol 96% EPR Ph.Eur. is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

##### POP Regulation (Persistent Organic Pollutants)

NU1170 Ethanol 96% EPR Ph.Eur. is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

##### Ozone Regulation (1005/2009)

Ethanol is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

##### VOC Directive (2004/42)

VOC content : 96 %

##### Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

##### Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

# NU1170 Ethanol 96% EPR Ph.Eur.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.1.2. National regulations

#### France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

#### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to VwVwS, Annex 1 or 2; ID No. 96).  
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : Ethanol is listed  
SZW-lijst van mutagene stoffen : The substance is not listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : Ethanol is listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : Ethanol is listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : Ethanol is listed

#### Denmark

Class for fire hazard : Class I-1  
Store unit : 1 liter  
Classification remarks : F <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable liquids must be followed

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

### Full text of H- and EUH-statements:

Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.