

**Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Date of issue: 26.07.2016 Revision date: 09.03.2023 Supersedes version of: 24.04.2018 Version: 1.2

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Name : Sulfuric acid, volumetric solutions  
Trade name : UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N)  
EC Index-No. : 016-020-00-8  
EC-No. : 231-639-5  
CAS-No. : 7664-93-9  
REACH registration No : 01-2119458838-20  
Product code : SUAC-1V0  
Formula : H<sub>2</sub>SO<sub>4</sub>

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category : Laboratory use

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**

labbox labware s.l.  
Migjorn, 1  
P.O. Box Barcelona (SPAIN)  
08338 Premia de Dalt – SPAIN  
ES  
T +34 937 07 79 70 - F +34 937 909 532  
[info@labbox.com](mailto:info@labbox.com) - [www.labbox.com](http://www.labbox.com)

**1.4. Emergency telephone number**

Emergency number : +34 937 077 970 (For technical information\_Office Hours) In case of medical emergency phone 112 or to your local emergency number.

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Corrosive to metals, Category 1 H290

Full text of H and EUH statements: see section 16

**Adverse physicochemical, human health and environmental effects**

No additional information available

# UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Warning  
Hazard statements (CLP) : H290 - May be corrosive to metals.  
Precautionary statements (CLP) : P390 - Absorb spillage to prevent material damage.  
P406 - Store in corrosive resistant container with a resistant inner liner.

### 2.3. Other hazards

PBT: not relevant – no registration required

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sulfuric acid 95-98 %	CAS-No.: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8 REACH-no: 01-2119458838-20	3 – 5	Skin Corr. 1A, H314

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Sulfuric acid 95-98 %	CAS-No.: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8 REACH-no: 01-2119458838-20	(5 ≤ C < 15) Eye Irrit. 2, H319 (5 ≤ C < 15) Skin Irrit. 2, H315 (15 ≤ C < 100) Skin Corr. 1A, H314

Full text of H and EUH statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist.  
First-aid measures after ingestion : Do not induce vomiting. Drink plenty of water. Call a physician immediately.

# UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Sand. Carbon dioxide. Foam. Dry powder.  
Unsuitable extinguishing media : Strong water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Non combustible.  
Hazardous decomposition products in case of fire : Hazardous gas/vapours are formed in the event of decomposition (see section 10).

### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not inhale vapour. Avoid contact with skin and eyes.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Do not breathe vapours. Ventilate spillage area.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Do not attempt to take action without suitable protective equipment.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material. Collect spillage. Mechanically recover the product.

### 6.4. Reference to other sections

See Heading 8. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin. Do not breathe vapours.  
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a well-ventilated place. Keep container tightly closed.  
Storage area : Store in a well-ventilated place. Store away from heat.

# UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special rules on packaging : Store in a closed container. Keep only in original container.

### 7.3. Specific end use(s)

Laboratory chemicals.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N) (7664-93-9)	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
Local name	Sulphuric acid (mist)
IOEL TWA	0,05 mg/m <sup>3</sup>
<b>France - Occupational Exposure Limits</b>	
Local name	Acide sulfurique
VME (OEL TWA)	0,05 mg/m <sup>3</sup> (fraction thoracique)
VLE (OEL Ceiling/STEL)	3 mg/m <sup>3</sup> (fraction thoracique)
Remark	VME règlementaire indicative; VLE recommandée/admise
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
Local name	Schwefelsäure
AGW (OEL TWA) [1]	0,1 mg/m <sup>3</sup> E (mg/m <sup>3</sup> )
Remark	DFG,EU,Y
<b>Italy - Occupational Exposure Limits</b>	
Local name	Acido solforico (nebulizzazione)
OEL TWA	0,05 mg/m <sup>3</sup>
<b>Portugal - Occupational Exposure Limits</b>	
Local name	Ácido sulfúrico
OEL TWA	0,2 mg/m <sup>3</sup> T (Fração torácica)
<b>Spain - Occupational Exposure Limits</b>	
Local name	Ácido sulfúrico
VLA-ED (OEL TWA) [1]	0,05 mg/m <sup>3</sup> niebla
Remark	az (Al seleccionar un método adecuado de control de la exposición, deben tomarse en consideración posibles limitaciones e interferencias que pueden surgir en presencia de otros compuestos de azufre), VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo. Todos estos agentes químicos figuran al menos en una de las directivas de valores límite indicativos publicadas hasta ahora (ver Anexo C. Bibliografía). Los estados miembros disponen de un tiempo fijado en dichas directivas para su transposición a los valores límites de cada país miembro. Una vez adoptados, estos valores tienen la misma validez que el resto de los valores adoptados por el país), s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: <a href="http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas">http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas</a> Base de datos de productos fitosanitarios <a href="http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf">http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf</a> ), d (Véase UNE EN 481: Atmósferas en los puestos de trabajo. Definición de las fracciones por el tamaño de las partículas para la medición de aerosoles).

# UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N) (7664-93-9)	
United Kingdom - Occupational Exposure Limits	
Local name	Sulphuric acid
WEL TWA [1]	0,05 mg/m <sup>3</sup> mist
Remark	The mist is defined as the thoracic fraction

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N) (7664-93-9)	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	100 mg/m <sup>3</sup>
Acute - local effects, inhalation	50 mg/m <sup>3</sup>

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Use a receptor hood for fumes/vapours. Do not inhale vapour.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. EN 374.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

Eye protection			
Type	Field of application	Characteristics	Standard
			EN 166

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Nitrile rubber (NBR) /

# UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
	Nitrile rubber (NBR)	6 (> 480 minutes)	0.2		EN 374-2, EN 374-3, EN 388

### 8.2.2.3. Respiratory protection

No additional information available

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: odourless.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions of use.

# UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

Strong acids. Strong bases. Strong reducing agents. Oxidizing agent.

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : Not applicable

#### 11.2.2. Other information

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

# UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.5. Results of PBT and vPvB assessment

#### UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N) (7664-93-9)

PBT: not relevant – no registration required

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : Not applicable.

### 12.7. Other adverse effects

Other adverse effects : Do not discharge into drains or rivers.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Must follow special treatment according to local regulation.  
HP Code : HP4 - "Irritant — skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR) : UN 3264  
UN-No. (IMDG) : UN 3264  
UN-No. (IATA) : UN 3264  
UN-No. (ADN) : UN 3264  
UN-No. (RID) : UN 3264

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
Proper Shipping Name (IMDG) : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
Proper Shipping Name (IATA) : Corrosive liquid, acidic, inorganic, n.o.s.  
Proper Shipping Name (ADN) : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
Proper Shipping Name (RID) : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
Transport document description (ADR) : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III, (E)  
Transport document description (IMDG) : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III  
Transport document description (IATA) : UN 3264 Corrosive liquid, acidic, inorganic, n.o.s., 8, III  
Transport document description (ADN) : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III  
Transport document description (RID) : UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, III

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 8  
Danger labels (ADR) : 8



#### IMDG

Transport hazard class(es) (IMDG) : 8  
Danger labels (IMDG) : 8



# UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



### IATA

Transport hazard class(es) (IATA) : 8

Danger labels (IATA) : 8



### ADN

Transport hazard class(es) (ADN) : 8

Danger labels (ADN) : 8



### RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



## 14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

## 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

## 14.6. Special precautions for user

### Overland transport

Classification code (ADR) : C1

Special provisions (ADR) : 274

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions (ADR) : TP1, TP28

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Hazard identification number (Kemler No.) : 80

# UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates : 

Tunnel restriction code (ADR) : E  
EAC code : 2X  
APP code : B

### Transport by sea

Special provisions (IMDG) : 223, 274  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : P001, LP01  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T7  
Tank special provisions (IMDG) : TP1, TP28  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Stowage category (IMDG) : A  
Stowage and handling (IMDG) : SW2  
Segregation (IMDG) : SGG1, SG36, SG49  
Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y841  
PCA limited quantity max net quantity (IATA) : 1L  
PCA packing instructions (IATA) : 852  
PCA max net quantity (IATA) : 5L  
CAO packing instructions (IATA) : 856  
CAO max net quantity (IATA) : 60L  
Special provisions (IATA) : A3, A803  
ERG code (IATA) : 8L

### Inland waterway transport

Classification code (ADN) : C1  
Special provisions (ADN) : 274  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E1  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : C1  
Special provisions (RID) : 274  
Limited quantities (RID) : 5L  
Excepted quantities (RID) : E1  
Packing instructions (RID) : P001, IBC03, LP01, R001  
Mixed packing provisions (RID) : MP19  
Portable tank and bulk container instructions (RID) : T7  
Portable tank and bulk container special provisions (RID) : TP1, TP28  
Tank codes for RID tanks (RID) : L4BN  
Special provisions for RID tanks (RID) : TU42  
Transport category (RID) : 3  
Special provisions for carriage – Packages (RID) : W12  
Colis express (express parcels) (RID) : CE8  
Hazard identification number (RID) : 80

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

###### REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3.	UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N)
3(b)	UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N)

###### REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

###### REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

###### PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

###### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

###### Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

###### Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

##### 15.1.2. National regulations

###### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).  
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

###### Netherlands

SZW-lijst van kankerverwekkende stoffen : Sulfuric acid 95-98 % is listed  
SZW-lijst van mutagene stoffen : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

###### Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

#### 15.2. Chemical safety assessment

No additional information available

# UN3264 Sulfuric acid, volumetric solution 0.5 M (1.0 N)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 16: Other information

#### Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.